ELSEVIER

Topology and its Applications 125 (2002) 593–594

TOPOLOGY AND ITS APPLICATIONS

www.elsevier.com/locate/topol

Author Index*

Volume 125 (2002)

Aarts, J.M., G.A. Brouwer, R.J. Fokkink and J. Vermeer, Intersection properties for coverings of G-spaces (2) 249–261
Arhangel'skii, A.V., Diagonal structures on topological spaces (3) 419–446
Arkowitz, M., H. Ōshima and J. Strom, Noncommutativity of the group of self homotopy classes of Lie groups (1) 87– 96
Arkowitz, M. and J. Strom, Nearly trivial homotopy classes between finite complexes (2) 203–213
Balogh, Z., Locally nice spaces and Axiom R (2) 335–341
Batty, M., Homological conditions for graphical splittings of antisocial graph groups (3) 447–463
Brodsky, N. and A. Chigogidze, Extension dimensional approximation theorem (3) 385–391
Brooks, R., R.F. Brown and H. Schirmer, The absolute degree and Nielsen root number of a fibre-preserving map (1) 1– 46
Brouwer, G.A., see Aarts, J.M. (2) 249–261
Brown, R.F., see Brooks, R. (1) 1– 46
Bustamante, J., R. Escobedo and F. Macías-Romero, A fixed point theorem for Whitney blocks (2) 315–321
Cagliari, F. and S. Mantovani, Injective topological fibre spaces (3) 525–532
Chigogidze, A., see Brodsky, N. (3) 385–391
Clementino, M.M. and D. Hofmann, On limit stability of special classes of continuous maps (3) 471–488
Dolecki, S., Convergence-theoretic characterizations of compactness (3) 393–417
Eisworth, T., On perfect pre-images of ω_1 (2) 263–278
Escobedo, R., see Bustamante, J. (2) 315–321
Farah, I., Dimension phenomena associated with $\beta\mathbb{N}$-spaces (2) 279–297
Fedeli, A. and A. Le Donne, On good connected preimages (3) 489–496
Felix, Y., S. Halperin and J.-C. Thomas, Lusternik–Schnirelmann category of skeleta (2) 357–361
Fleissner, W., J. Porter and J. Roitman, Which spaces have a coarser connected Hausdorff topology? (2) 215–231
Fokkink, R.J., see Aarts, J.M. (2) 249–261
Gartside, P.M. and A.M. Mohamad, Diversity of p-adic analytic manifolds (2) 323–333
Gerlits, J. and Z. Szentmiklóssy, A Ramsey-type topological theorem (2) 343–355
Gidea, M., Chaotic Julia sets: A Conley index approach (3) 561–569
Gonçalves, D.L., J. Jaworowski and P.L.Q. Pergher, Measuring the size of the coincidence set (3) 465–470
Good, C., R.M. Knight and A.M. Mohamad, On the metrizability of spaces with a sharp base (3) 543–552
Halperin, S., see Felix, Y. (2) 357–361
Hansen, V.L., Branched polynomial covering maps (1) 63– 72
Hardie, K.A., J.J.C. Vermeulen and P.J. Witbooi, A nontrivial pairing of finite T_0 spaces (3) 533–542

* The issue number is given in front of the page numbers.

0166-8641/2002 Published by Elsevier Science B.V.
PII: S0166-8641(02)00290-0

Hart, J.E. and K. Kunen, Bohr topologies and compact function spaces (2) 183–198
Hofmann, D., see Clementino, M.M.
Hoshina, T. and K. Yamazaki, Weak C-embedding and P-embedding, and product spaces (3) 471–488
Jaworowski, J., see Gonçalves, D.L. (2) 233–247
Kalantan, L., Results about κ-normality (3) 465–470
Kawamura, T., Quasipositivity of links of divides and free divides (1) 47– 62
Kawazumi, N., Weierstrass points and Morita–Mumford classes on hyperelliptic mapping class groups (1) 111–123
Knight, R.M., see Good, C. (3) 363–383
Kunen, K., see Hart, J.E. (3) 543–552
Kuribayashi, K., The cohomology of a pull-back on $\mathbb{K}$-formal spaces (2) 183–198
Kuribayashi, K., On the Betti number of the space of invariant paths on the space whose cohomology is the exterior algebra with two generators (1) 125–159
Lasheras, F.F., A note on fake surfaces and universal covers (1) 161–170
Lechuga, L., Computing the Sullivan Milnor–Moore S.S. and the rational LS category of certain spaces (3) 497–504
Le Donne, A., see Fedeli, A. (3) 581–591
Lee, H.-S., Stable splittings of classifying spaces of 2-toral compact Lie groups (3) 489–496
Macías-Romero, F., see Bustamante, J. (1) 73– 85
Mantovani, S., see Cagliari, F. (2) 315–321
Massey, D.B., Perverse cohomology and the vanishing index theorem (3) 525–532
Mendes de Jesus, C. and M.C. Romero Fuster, Bridges, channels and Arnold's invariants for generic plane curves (2) 299–313
Mohamad, A.M., see Gartside, P.M. (3) 505–524
Mohamad, A.M., see Good, C. (2) 323–333
Moriah, Y., On boundary primitive manifolds and a theorem of Casson–Gordon (3) 543–552
Ōshima, H., see Arkowitz, M. (3) 571–579
Pergher, P.L.Q., see Gonçalves, D.L. (1) 87– 96
Porter, J., see Fleissner, W. (3) 465–470
Rawdon, E.J. and J. Simon, Möbius energy of thick knots (2) 215–231
Roitman, J., see Fleissner, W. (1) 97–109
Romero Fuster, M.C., see Mendes de Jesus, C. (2) 215–231
Schirmer, H., see Brooks, R. (3) 505–524
Simon, J., see Rawdon, E.J. (1) 1– 46
Song, F., see Sun, J. (1) 97–109
Strom, J., see Arkowitz, M. (3) 553–560
Strom, J., see Arkowitz, M. (1) 87– 96
Sun, J. and F. Song, A property of connected components and its applications (2) 203–213
Szentmiklóssy, Z., see Gerlits, J. (3) 553–560
Thomas, J.-C., see Felix, Y. (2) 343–355
Tkachenko, M., Provisional solution to a Comfort–van Mill problem (2) 357–361
Vermeer, J., see Aarts, J.M. (1) 171–182
Vermeulen, J.J.C., see Hardie, K.A. (2) 249–261
Witbooi, P.J., see Hardie, K.A. (3) 533–542
Yamazaki, K., see Hoshina, T. (3) 533–542
Zimmermann, B., On finite simple groups acting on homology 3-spheres (2) 233–247
(2) 199–202